



# Qi18S

18" Installation Subwoofer



The Quest Qi18S subwoofer delivers deep, controlled bass and high-output performance for demanding music playback and sound reinforcement in fixed installations. Its high-power, ultra-long-excursion 18-inch driver provides exceptional low-frequency extension with clarity and authority. The robust, low-profile marine plywood enclosure offers flexible installation with Speakon and Euroblock connectivity for broad system compatibility. Optimised for seamless integration with Qi Series loudspeakers and QXD amplifiers, the Qi18S features dedicated DSP presets and advanced control for consistent, high-performance audio across diverse applications.

## KEY SPECIFICATIONS

Impedance	8Ω
Transducer	18" LF
Power	1200W RMS


\*Quest Engineering reserves the right to make changes in specifications, or products without prior notice.

# SPECIFICATIONS



<b>COLOURS</b>	<b>BLACK (RAL9004)</b>
<b>MODELS</b>	<b>Q18S</b>
FREQUENCY RESPONSE (-6dB)	35Hz to 140Hz
SENSITIVITY - 1W @ 1m	98.5dB
MAXIMUM SPL @ 1m	135dB
POWER HANDLING (RMS/PEAK)	1200W / 2400W
NOMINAL IMPEDANCE	8Ω
TRANSDUCERS	LF: 457mm (18") Woofer
DISPERSION (H° x V° -6dB)	Omnidirectional
CONNECTIONS	Euroblock/Phoenix Connector - 5.08mm Pitch (In/Thru)
RIGGING POINTS	Yes
DIMENSIONS (H x W x D)	510 x 790 x 600mm (20" x 31.1" x 23.6")
WEIGHT	46.7 kg (103 lb)
SHIPPING WEIGHT	48 kg (105.9 lb)
SHIPPING DIMENSIONS (H x W x D)	585 x 860 x 670 mm (23" x 33.9" x 26.4")
CABINET MATERIAL & FINISH	Marine Plywood with Polyurea Coating
GRILLE MATERIAL & FINISH	Aluminium with Acoustic Fabric Cover
RECOMMENDED POWER AMPLIFIER	Quest QX or QXD Amplifiers
ACCESSORIES (INCLUDED)	Euroblock/Phoenix Connector, Cover Plate
ACCESSORIES (AVAILABLE SEPARATELY)	None

\*Quest Engineering reserves the right to make changes in specifications, or products without prior notice.



# Qi18S

The loudspeaker system shall be a single-way, high-output low-frequency subwoofer, housed within a Marine Plywood with Polyurea Coating enclosure. The cabinet will incorporate a 457mm (18") Woofer designed for omnidirectional low-frequency reproduction.

The loudspeaker will have a nominal impedance of 8 ohms and a power handling capacity of 1200 W RMS, with a peak power rating of 4000 W. Its frequency response (-6 dB) will extend from 35 Hz to 140 Hz. The sensitivity will be 98.5 dB SPL (1 W/1 m), with a maximum output of 135 dB SPL.

The connection panel will incorporate Euroblock/Phoenix connectors with 5.08mm pitch to facilitate in/thru wiring. The grille will be constructed from Aluminium with Acoustic Fabric Cover and will be available in Black (RAL9004).

The loudspeaker system will have overall dimensions of 510 mm (H) x 790 mm (W) x 600 mm (D) and a net weight of 46.7 kg. Recommended amplification will be Quest QX or QXD Amplifiers.

The loudspeaker will include the Euroblock/Phoenix Connector and Cover Plate.

The loudspeaker will be the Qi18S by Quest Engineering.

\*Quest Engineering reserves the right to make changes in specifications, or products without prior notice.

